नौकुण्ड गाउँपालिका गाउँ कार्यपालिकाको कार्यालय सरमथली , रसुवा बागमती प्रदेश, नेपाल

एम्बुलेन्स खरिद गर्ने सम्बन्धी सूचना

प्रथम पटक प्रकाशित मिति: २०७७/०६/०५

यस गाउँ कार्यपालिकाको चालु आ. व. ०७७/७८ को वार्षिक स्वीकृत कार्यक्रम अनुसार एम्बुलेन्स खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद ऐन, २०६३, (पिहलो संसोधन २०७३) को दफा ८ को उपदफा १(क) तथा सार्वजनिक खरिद नियामावली, २०६४ (चौथो संसोधन २०७३) को नियम ३१(ख) वमोजिम त्यस्तो सवारी साधन उत्पादक कम्पनी वा सो को अधिकारीक विक्रेताहरुको विचमा मात्र प्रतिस्पर्धा गराउने (क्याटलग सपीड़) विधिवाट खरिद गर्नुपर्ने भएकोले यो सूचना प्रकाशन गरिएको छ । साथै अन्य विवरण देहाय बमोजिम हुनेछ ।

9. भन्सार छुटमा उपलब्ध गराउने इजाजत प्राप्त उत्पादक कम्पनी वा त्यसको आधिकारीक विकेताले आ-आफनो फर्म दर्ता, भ्याट दर्ता, ऐजेन्सी दर्ता प्रमाण पत्र, Letter of Authorization र आय कर चुक्ता प्रमाण पत्रको प्रमाणित प्रतिलिपीहरु समावेश गरी सार्वजनिक खरीद नियमावाली, २०६४ को नियम ३१(ख)१ अनुसार देहाय बमोजिमको सवारी साधनको उत्पादनको आधिकारिक स्पेसीिफकेशन, मुल्य र सुविधा सिहतको गुणस्तर विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यो सूचना प्रकाशित भएको मितिले आठौँ दिन मिति २०७७/०६/१२ गते १२:०० वजे भित्रमा यस गाउँ कार्यपालिकाको कार्यालयमा शिलवन्दी प्रस्ताव दर्ता गराईसक्नुपर्नेछ र दर्ता भएको शिलवन्दी प्रस्ताव दिनको १३:०० वजे खोलिनेछ।

२. सवारीसाधनको विस्तृत स्पेशिफिकेसन यस कार्यालयको वेभसाइट www.naukundamun.gov.np र कार्यालयको सूचना पाटीमा हेर्न सिकनेछ ।

क.स.	ठेक्का नं.	खरिद गर्नुपर्ने मालसामानको नाम	संक्षिप्त विवरण	संख्या	कैंफियत
٩.	NRM/NCB/goods/01/077/078	4 WD Ambulance	4 WD Ambulance	१(एक)	स्पेशिफिकेसनमा उल्लेख भए बमोजिम हुनेछ ।

प्रमुख प्रशासकीय अधिकृत

16.	Tools	A set of tools as required for general maintenance shall be supplied.	
20	Colour	White	
21.	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least five years.	
22	Warranty	Manufacturer shall provide a minimum of One year or 20000 kms which ever earlier after acceptance.	
23.	Delivery	The 1 Unit Ambulance shall be delivered to:	

Name: - Sunil Kumar Sharma.

NEC Regd. No : - 1646 "Mechanical" "A" Category.

Signature: - Systam

Amy stated

11.	Tyres	Standard Size		
12.	Steering	Power Steering		
13.	Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and		e. R
i and		parking brake dual circuit preferred.		
14.	Cab	2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through	* .	-
		ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	,	*
15.	Chassis & Frame	Heavy duty metal frame		
16.	Essential Accessories	A. Head light, tail and rear light, reversing light and turn signals.	· · · · · · · · · · · · · · · · · · ·	
		B. Cabin Lights C. Speedometer/ Odometer. D. One Spare wheel with tyre and tube. E. Suitable jack and handle. F. Seat belt for driver and co-driver.		
		G. Stretcher H. Siren I. Flashing Light on top (As per Nepal Standard) J. Oxygen Cylinder holder K. Saline Bottle holder L. Anti- Skid floor Equipped with all accessories offered in the standard model but not limited to the above items.		
17.	Instructions	All signs and instructions in the vehicle shall be in English.	, .	
18	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.		Sun A

•

85-

Section VI. Technical Specifications

S.No.	Criteria	Required Specification	Offered
			Specification
	General	Hard Top Jeep, 4WD, Right	
		Hand Drive model suitable for	
	1	driving in Nepal. Gross vehicle	
	1	weight of the vehicle shall not be	
		less than 2400kgs and shall have	
		seating capacity for at least	
		driver, passenger and patient.	į.
2.	Engine	Diesel Engine, developing	
		maximum rated power output not	
	1 1	less than 60 BHP & maximum	Y.
		torque not less than 110 NM at	,
		governed RPM, Engine	
	The state of	Displacement not less than 2000	
		CC, Engine fully equipped with	100
	ā.	accessories for efficient full load	
		operation of the vehicle at	- ,
		operating conditions.	,
3.	Wheel Base	Not more than 2800mm	
4.	Overall	Not more than 2500mm	
•	Length	Not more than 4500mm	
5.	Emission	The Emission standard of the	
	Standard	vehicle should comply with the	
		latest "Vehicle Mass Emission	
	· ·	Standard" of Nepal which is to be	Vi
	T	certified by Department of	
		Transport Management Nepal.	
6.	Gauges	To include water temperature,	
		fuel, oil pressure, transmission	
		gauge etc. as necessary for	1
Ì		efficient operation and	
	1	maintenance.	
7.	Clutch	Single Dry Plate	
8.	Transmission	Manual shift at 5 forward and	:
	-	one reverse, floor mounted	
		engaged through control at driver	1
	,	seat.	
9.	Ground	Minimum 180 mm	
	Clearance		
10,	Suspension	Leaf Springs/ coil springs/	ľ
		torsion bar/ shock absorbers at	
		front and rear.	

A CONTRACTOR OF THE PARTY OF TH